CABI BIOSCIENCE
EGHAM LIBRARY
19 APR 2001

CZECH MYCOLOGY

FORMERLY ČESKÁ MYKOLOGIE

Publication of the Czech Scientific Society for Mycology

VOLUME 52
(2000)

EDITORIAL BOARD

Editor-in-Chief
ZDENĚK POUZAR (Praha)

Managing editor
JAROSLAV KLÁN (Praha)

VLADIMÍR ANTONÍN (Brno)
ROSTISLAV FELLNER (Praha)
ALEŠ LEBEDA (Olomouc)
JIŘÍ KUNERT (Olomouc)
LUDMILA MARVANOVÁ (Brno)
PETR PIKÁLEK (Praha)
MIRKO SVRČEK (Praha)
PAVEL LIZOŇ (Bratislava)

PRAHA 2001

CONTENTS

AGERER R., AMMIRATI J., BARONI T. J., BLANZ P., COURTECUISSE R., DESJARDIN D. E., GAMS W., HALLENBERG N., HALLING R., HAWKSWORTH D. L., HORAK E., KORF R. P., MUELLER G. M., OBERWINKLER F., RAMBOLD G., SUMMERBELL R. C., TRIEBEL D. and WATLING R.: Open Letter to the scientific community of mycologists. Inputs from referees requested 189
ANTONÍN V.: Xeromphalina brunneola (Tricholmataceae), a new member of the European mycoflora 237
ANTONÍN V. and HERINK J.: Notes on the variability of Gymnopus luxurians (Tricholomataceae) 41
ANTONÍN V. and MORAVEC J.: Some notes on the remarkable variability of Ascobolus scatigenus (Discomycetes, Pezizales) 295
ANTONÍN V. and VÁGNER A.: Type specimens of fungi preserved in the Herbarium of the Moravian Museum in Brno, Czech Republic (BRNM) 51
GALÁN R. and PALMER J. T.: The occurence of the rare Ciboria aestivalis in Europe 277
GAMUNDÍ I. J. and LORENZO L. E.: Ascomycetes from burnt places in the NW Patagonia, Argentina 267
GHERBAWY Y. A. M. H. and PRILLINGER H.: Root mycoflora of pepper (Capsicum annuum) antagonistic to Verticillium dahliae 219
GRYGANSKI A. P., KIRCHHOFF B. and MOLITORIS H. P.: Fruitbody quality and enzyme production of strains of Hericium erinaceus, an edible mushroom of medical relevance 195
HASAN H. A. H.: Fungal association and deterioration of oil-type safflower (Carthamus tinctorius) seed during storage 125
HAUSKNECHT A.: Das Problem Pholiotina sulcatipes – P. aberrans 299
HOLEC J.: A revision of new species of Pholiota and Flammula (Fungi, Agaricales) described by Josef Velenovský 17
–: The taxonomy of Pholiota fusus – a critical evaluation 243
HOLM K. and HOLM L.: Venturia glacialis, an overlooked species 323
KORF R. P. and LIZOŇ P.: The status of the ordinal name Leotiales 255
KOTLABA F. and POUZAR Z.: The decease of Dr. Josef Herink 93
KUBÁTOVÁ A., NOVOTNÝ D., PRÁŠIL K. and MRÁČEK Z.: The nematophagous hyphomycete Esteya vermicola found in the Czech Republic 227
KUNERT J. and ŠAŠEK V.: Colloquium "Fungi as Model Organisms in Research and Biotechnology", Olomouc September 14^{th}, 1999 139
LAGANÀ A., SALERNI E., BARLUZZI C., PERINI C. and DE DOMINICIS V.: Mycocoenological studies in Mediterranean forest ecosystems: calcicolous deciduous oak woods of central-southern Tuscany (Italy) 1
LAZEBNÍČEK J.: Professor RNDr. Bronislav Hlůza, CSc. – 70 years 89
MANDEEL Q. and GUL J.: Occurence of vesicular arbuscular mycorrhizae (VAM) in coastal habitats of Bahrain 69
MOLITORIS H. P.: Methods for determination of enzymatic activities of marine fungi 97
MOSER M. and KIRCHMAIR M.: Notes on two rare Lactarius species 317
PARMASTO E.: Hymenochaete cruenta and H. sphaericola,two sibling species of Hymenochaetales (Hymenomycetes, Basidiomycota) 307
PAŽOUTOVÁ S. and KOLÍNSKÁ R.: Record of Cerebella sp. in Czech Republic and of Cerebella andropogonis in Brazil 81

RAITVIIR A.: Taxonomic notes on Dematioscypha and Amicodisca 289
SALERNI E., LAGANÀ A., PERINI C. and DE DOMINICIS V.: Effect of various forestry operations on the fungal flora of fir woods – first result 209
SPOONER B. M.: Plicaria (Pezizales) in Britain, and Plicariella reinstated 259
ŠAŠEK V.: Prof. Dr. Zdeněk Urban, DSc passed away 181
WATLING R.: An Unusual Inocybe sp. from West Africa 329
Book Review (Holec J. and Beran M.) 253
(Kubátová A.) 179
(Kubátová A.) 180
(Prášil K.) 316
(Prášil K.) 328
Journal Review (Holec J.) 252
Contents and index of generic and specific names of fungi Vol.52 (2000) (J. Landa)

New taxa and new combinations

Leotiales Korf et Lizoň 256

New species

Amicodisca svrcekii Raitv. et Huhtinen 293 – *Dematioscypha galanii* Raitv. 291 – *Inocybe aureoplumlosa* Watling 331

New combinations

Plicariella scabrosa (Cooke) Spooner 262 – *Dematioscypha dematiicola* var. *fuscostipitata* (Graddon) Raitv. 290

Acanthostigma moravicum 51;
Acervus lusakianus 51;
Acremonium 179;
– *strictum* 222;
Aecidium viborgiae 51;
Agaricus 93;
– *bisporus* 196, 206;
– *fusus* 243, 244, 247–250;
– *fusus filius* 249;
– *herinkii* 95;
– *hybridus* 248;
– *silvaticus* 11, 212;
– *silvicola* 9;
– *sulcatipes* 299, 300, 302;
– *unicolor* 24;
Aleuria dalhousiensis 52;
– *latispora* 52;
– *radula* 261;
Aleurina nigrodisca 296;
Alternaria 163;
– *alternata* 130, 151–152, 168, 222;
Amanita caesarea 9;
– *citrina* 6;
– *crocea* 9;
– *gemmata* 212;
– *muscaria* 212;
– *pantherina* 7, 212;
– *phalloides* 5;
– *rubens* var. *areolata* 52;
– *rubescens* 4, 5, 212, 215;
– *vaginata* 6;
Amerosporium violae 52;
Amicodisca 289–294;
– *svrcekii* 293–294;
– *virella* 292–294;
– *viridicoma* 292;
Armillaria 93;
– *mellea* 9, 155;
– *ostoyae* 12;
– *tabescens* 9;
Ascobolus 296;
– *archeri* 270, 271;
– *carbonarius* 271;
– *densireticulatus* 52;
– *scatigenus* 295–297;
Ascochyta bubakiana 52;
– *bulgarica* 52;
– *celosiae* 52;
– *circaeae* 52;
– *galeopsidis* 52;
– *graminicola* var. *diedickeana* 52;
– – var. *setariae* 52;
– *herlaclei* var. *herlaclei-ternati* 52;
– *menthicola* 52;
– *poae-badensis* 52;
– *rumicis-patientiae* 52;
– *sesleriae* 52;
– *vodakii* 52;
– *zavřelii-ignatii* 52;
Ascochytella avenae 52;
Ascorhizoctonia 269;
Ascosphaera 316;
Aschersonia 180;
Aspergillus 126, 130–132, 163, 179, 222;
– *flavus* 126–136, 158, 220, 222, 224;
– *foetidus* var. *pallidus* 166;
– *fumigatus* 127, 130, 131, 175–176, 222;
– *niger* 127, 128, 130–133, 171;
– *ochraceus* 127, 130, 158, 222;
– *sydowii* 127, 130, 131;
– *tamarii* 130;
– *ustus* 158;
– *versicolor* 158;
Astraeus hygrometricus 9, 212, 215;
Aureobasidium 158, 179;
Aureoboletus gentilis 6;

Baeospora myriadophila 93;
Basidiobolus ranarum 177;
Beauveria 180;
Betulina fuscostipitata 290;
Bisporella citrina 10;
Bjerkandera adusta 156;
Boletus aereus 9;
– *appendiculatus* 9;
– *badius* 212;
– *calopus* 9;
– *chrysenteron* 5;
– *edulis* 9, 212;
– *fechtneri* 7;
– *ferrugineus* 9;
– *luridus* 4, 6;

– *radicans* 8;
– *rubellus* 8;
– *satanas* 4, 8;
– – var. *roseodermata* 52;
– *subtomentosus* 11;
Bombardia bracyura 273;
Botryotrichum 179;
Boudiera 260;
Bovista fusca 53;
– *plumbea* 9;
Bremia lactucae 140, 146–147, 149–150;

Calloriopsis 256;
Calocybe ionides 11;
Calolepis congesta 53;
Calopactis singularis 53;
Camarophyllopsis 93;
Camarosporium bulgaricum 53;
– *carpini* 53;
– *kirchneri* 53;
Candida 165–167, 169, 173;
– *albicans* 165–166, 167, 168, 169, 173, 176;
– *famata* 166;
– *glabrata* 169, 173;
– *krusei* 170;
– *lusitaniae* 173;
– *parapsilosis* 166, 168;
– *pseudotropicalis* 170;
– *tropicalis* 166, 169;
Cantharellus cibarius 4, 5;
– – var. *amethysteus* 11;
– *cinereus* 8;
– *radiatus* 23;
– *tubaeformis* 7;
Catacauma contractum 53;
Cephalosporium 179;
Ceratosphaeria moravica 53;
Cercospora exitiosa 53;
– *exosporoides* 53;
– *imperatoriae* 53;
– *poae* 53;
– *radiata* var. *dalmatica* 53;
– *raphanistri* 53;
Cercosporella anemonis 53;
– *anethi* 53;
– *linariae* 53;
– *nesleana* 53;
– *trolliicola* 53;
Cercosporina bubakii 53;
Cerebella 81–87;
– *andropogonis* 81–87;
– *moravica* 82, 83, 86, 87;
Ceuthospora leguminum 53;
Chaetomium 221, 224;
– *fiscicolum* 53;
– *funicola* 223, 224;
– *globosum* 220, 221, 222, 223, 224;
Chalara 179;
Chalciporus piperatus 212;
Cheilymenia aurantiacorubra 54;
– *magnipila* 54;
– *micropila* 54;
– *notabilispora* 54;
– *pseudohumarioides* 54;
– *theleboloides* f. *magnifica* 54;
Chromelosporium 179, 259, 263;
Chrysonilia sitophila 179;
Chrysosporium 158;
Ciboria 279, 285;
– *aestivalis* 277–286;
– *batschiana* 12, 279;
Cladonia 316, 322;
Cladosporium 158, 163;
– *cladosporoides* 158, 222;
Clavaria fragilis 6;
Claviceps 81, 87;
– *purpurea* 82, 83, 86, 87;
– *sulcata* 83;
Clavulina cinerea 9;
– *coralloides* 5, 212;
– *rugosa* 212;
Clavulinopsis corniculata 11;
Clitocybe 94;
– *clavipes* 11;
– *fragrans* 7;
– *nebularis* 7, 212;
– *obolus* 32;
– *obsoleta* 212;
– *odora* 7;
– *phaeophthalma* 5, 212;
– *rivulosa* 11;
– *vernalis* 54;
Clitopilus prunulus 6, 212, 215;
Coccidiascus 316;
Coccodiella 316;

Coleosporium clerodendri 54;
Collybia butyracea 5, 212;
– *confluens* 212;
– *cookei* 10;
– *crassipes* 41;
– *dryophila* 5, 212;
– *erythropus* 11, 212;
– *filamentosa* 32;
– *fusipes* 9;
– *luxurians* 41;
– *peronata* 5;
– *petrakii* 54;
– *pseudolacerata* 54;
– *similis* 54;
– *tamatavae* 48;
– *tuberosa* 10;
Complexipes 269;
Coniochaeta saccardoi 270, 271–272;
Coniothyrium mintans 224;
Conocybe 36, 38;
– *aberrans* 299–303, 305;
– *herinkii* 95;
– *tenera* 212;
Coprinus atramentarius 11;
– *herinkii* 95;
– *micaceus* 11, 333;
– *picaceus* 6;
– *plicatilis* 9;
– *stercoreus* 12;
– *stipetorum* 54;
Coprobia hypophila 54;
– *sordida* 54;
Coprotus subcylindrosporus 54;
Cordyceps 180;
Coronophora moravica 54;
Corticium 313;
– *baudysii* 54;
Cortinarius 38, 93;
– *anomalus* 11;
– *anserinus* 9;
– *aprinus* 4, 6;
– *bolaris* 30;
– *bulliardii* 8, 13;
– *calochrous* 6;
– *castaneus* 9;
– *cinnamomeus* var. *cinnamomeofulvus* 9;
– *claroflavus* 9;
– *coerulescens* 9;
– *cotoneus* 4, 8, 14;
– *cristallinus* 6;
– *croceo-coeruleus* 9;
– *decipiens* 8;
– *delibutus* 9;
– *dibaphus* var. *nemoreus* 9;
– *dionysae* 11;
– *duracinus* 6;
– *hinnuleus* 12;
– *infractus* 5;
– *lividoochraceus* 5;
– *obtusus* 6;
– *olivaceofuscus* 4, 12, 14;
– *paleaceus* 7;
– *praestigiosus* 212;
– *pseudosulphureus* 9;
– *purpurascens* 8;
– *rufoolivaceus* 9;
– *safranopes* 8;
– *semisanguineus* 6;
– *sodagnitus* 6;
– *torvus* 5;
– *trivialis* 5;
– – var. *squamosipes* 7;
– – var. *subolivascens* 10;
– *uraceus* 7;
– *variecolor* 212;
– *venetus* 9;
Craterellus cornucopioides 5;
Crepidotus 331;
– *cesatii* 10;
– *epibryus* 12;
– *mollis* 12;
– *pubescens* 7;
– *variabilis* 6;
Crucibulum crucibuliforme 212;
Cryptomycina 316;
Cryptosphaeria moravica 54;
Cucurbitaria pruni-spinosae 54;
– *rubefaciens* 54;
Curreyella 263;
– *radula* 261;
– *trachycarpa* 264;
Cyathus striatus 11;
Cylindrosporium baudysianum 54;
Cystoderma 333;
– *paradoxum* 93;
– *terrei* 212;

Cystolepiota seminuda 5;
Cystotheca 316;
Cytidia salicina 308;
Cytospora ostryae 54;

Dasyscypha brdensis 292;
Dematioscypha 289–294;
Dematioscypha dematiicola 290;
– – var. *dematiicola* 292;
– – var. *fuscostipitata* 290, 292;
– *galanii* 291–293;
– *richonis* 290;
– – var. *olivacea* 291, 292;
– – var. *richonis* 292;
Dermocybe purpureobadia 23;
Detonia 263;
Diaporthe cydoniicola 55;
– *densa* 55;
– *fuchsiae* 55;
– *genistae* 55;
– *hranicensis* 55;
– *ligustri* 55;
– *ligustrivulgaris* 55;
– *pusilla* 55;
– *recedens* 55;
– *rhamnigena* 55;
– *transiens* 55;
Diatrypella 316;
Dicoccum cupaniae 55;
Didymella autumnalis 55;
Didymosphaeria moravica 55;
– *petrakiana* 55;
Dimerosporium pelliculla 55;
Diplodia croatica 55;
– *platanicola* 56;
– *rhizophila* 55;
– *sarajevensis* 55;
Diplodina anthriscina 55;
– *celastri* 55;
– *galeopsidis* 56;
– *lappae* 56;
– *menthae* 56;
– *nicandrae* 56;
– *ocimi* 56;
– *origani* 56;
– *physocaulis* 56;
– *richteriana* 56;
Dothidella diplothemii 56;
Dothiorella apocyni 56;
Dotchizia exigua 56;
– *pini* 56;
– *sanguisorbe* 56;
Dryophila fusus 244;

Emericella 126;
– *nidulans* 127, 130, 131;
Emericellopsis 316;
Endodothella istrica 56;
Entoloma 93;
– *byssisedum* 12;
– *hirtipes* 10;
– *incanum* 10;
– *juncinum* 10, 212;
– *mougeotii* 8;
– *nitens* 212, 215;
– *rhodopolium* 10;
– *rhodopolium* f. *nidorosum* 6;
– *sinuatum* 6;
Entylomella smardosii 56;
Epicoccum 81;
– *andropogonis* 81;
Eriosphaeria albido-mucosa 56;
Erysiphe cichoracearum 143, 144;
Esteya vermicola 227–235;
Eutypa moravica 56;
Exidia truncata 11;

Fimaria virginea 56;
Flammula 17, 18, 38, 248;
– *fusa* 248, 249, 250;
– *fusus* 243, 244, 248, 249;
– *granulosa* 20, 26, 34;
– *gymnopodia* 35;
– *paludosa* 56;
– *pholiotiformis* 35;
– *picea* 20, 35–36;
– *squamulosa* 36–37;
– *vacini* 37–38;
Flammulaster 38, 330–331;
– *carpophilus* 8;
– *limulatus* 34, 330;
– – var. *limulatus* 34;
Fusarium 126, 142, 153–154, 161, 163, 179, 221;
– *avenaceum* 142;
– *culmorum* 142, 161;

– *equiseti* 151–152;
– *graminearum* 142;
– *moniliforme* 142;
– *oxysporum* 141, 142, 153, 221, 222;
– – f. sp. *pisi* 153;
– – var. *redolens* 153–154;
– *poae* 161;
– *solani* 142, 153–154, 223;
– – f. sp. *pisi* 153–154;
– *tricinctum* 142;
Fusicoccum corylinum 56;
– *petiolicolum* 56;
– *petrakeanum* 56;
Fusoma 179;

Gaeumannomyces graminis 142;
Galactinia leiocarpa 263;
– *moravecii* 56;
– *muricata* 263;
– *trachycarpa* 264;
Galera aberrans 303;
– *atripes* 23;
– *rimosa* 303;
– *siliginea* 305;
– – var. *silvaticum* 305;
– *subterranea* 57;
– *togularis* 23;
Galerina 21, 23, 38;
– *marginata* 11, 212;
– *triscopa* 31;
– *unicolor* 24;
Galeropsis desertorum 57;
Ganoderma lucidum 6, 155;
Geaster atratus 57;
– *sibiricus* 57;
Gelatinopsis 256;
Gelatinopulvinella 256;
Geocoryne 257;
Geopyxis grandis 57;
Geotrichum 163;
– *candidum* 177;
Gibberella fujikuroi 130;
Gibellula 180;
Gliocladium 221, 224;
– *roseum* 220, 221, 222;
– *virens* 224, 225;
Gliophorus 93;
Gloeosporium vagans 57;
– *vogelianum* 57;
Glomus mosseae 69–78;
Gnomonia robertiani 57;
Gnomoniella nana 323;
Godroniopsis nemopanthis 57;
Gomphidius glutinosus 212;
Gorgoniceps kuitoënsis 57;
Greletia marchica 57;
– *reticulosperma* 57;
Guignardia steppani 57;
– *sudetica* 57;
Gymnopus 41;
– *brassicolens* var. *pallidus* 57;
– *herinkii* 95;
– *luxurians* 41–48;
Gymnosporangium aurantiacum 57;
– *malyi* 57;
Gyroporus castaneus 8;

Hainesia viburni 57;
– *zavřelii-ignatii* 57;
Hapalopilus rutilans 8;
Haplographium 290, 292;
Hebeloma crustuliniforme 6;
– *fallax* 57;
– *puncatiforme* 58;
– *sinapizans* 6;
– *squamulosum* 23;
Helminthosporium anthyllidis 58;
– *bornmülleri* 58;
– *poae* 58;
– *setariae* 58;
Helotium limogenum 58;
Helvella branzeziana 58;
– *crispa* 7;
– *elastica* 11;
– *gabretae* 93;
Hemimycena cephalotricha 7;
– *cucullata* 11;
– *hirsuta* 12;
– *lactea* 11;
Hendersonia andropogonis 58;
– *bulgarica* 58;
– *convolvuli* 58;
– *crataegi* 58;
– *fiedleri* var. *maior* 58;
– *sarmetorum* var. *salicis-caprae* 58;
– *ucrainica* 58;

Hericium 200;
– *erinaceus* 195–207;
Herpomyces 316;
Herpotrichia moravica 58;
Histoplasma capsulatum 172;
Hohenbuehelia petaloides 8;
Horakia 330;
– *flavofusca* 330;
Humaria coprogena 58;
– *hemisphaerica* 8;
– *petrakii* 58;
Hyaloscypha 290;
– *olivacea* 290;
Hydnellum concrescens 6;
Hydnum repandum 4, 5;
– *rufescens* 6;
Hydrocybe acuta 23;
– *nucicolor* 58;
– *valentini* 23;
Hydropus floccipes 12;
– *scabripes* 12;
Hygrocybe acutoconica 8;
– *conica* 6;
– – f. *pseudoconica* 6;
– *pratensis* 8;
– *psittacina* 8;
– *reai* 8;
– *virginea* 6;
Hygrophorus chrysodon 11;
– *discoideus* 11;
– *discoxanthus* 4, 5;
– *lindtneri* 12;
– *marzuolus* 94;
– *nemoreus* 10;
– *penarius* 8;
– *persoonii* var. *fuscovinosus* 8;
– *roseodiscoideus* 12;
– *russula* 8;
Hymenochaete 307, 308;
– *cruenta* 307–315;
– *mougeotii* 307, 308, 309, 310;
– – f. *murashkinskyi* 310;
– *murashkinskyi* 307, 310;
– *sphaericola* 307–315;
Hymenoscyphus fructigenus 8;
Hypholoma 25, 27, 29, 247, 248, 249;
– *capnoides* 29;
– *coprinifacies* 93;
– *fasciculare* 28, 29;
– *sublateritium* 29, 247, 248, 249;
Hypocopra saccardoi 271;
Hypoxylon 310;
Hysteropeltella moravica 58;

Inocybe 329–331;
– *asterospora* 8, 212;
– *aureoplumosa* 331–334;
– *bongardii* 8, 14;
– *cervicolor* 7;
– *cincinnata* 8;
– *cinnabarina* 58;
– *crocifolia* 93;
– *dulcamara* 212;
– *flavofusca* 330;
– *flocculosa* 4, 12, 14, 212, 215;
– *fuscidula* var. *fuscidula* 212;
– *fuscomarginata* 331;
– *geophylla* 7, 213;
– – f. *alba* 58;
– – var. *lilacina* 212;
– *laevigata* f. *depallens* 58;
– *laevispora* 59;
– *lanuginella* 330;
– *leiocephala* 11;
– *mixtilis* 213;
– *moravica* 59;
– *oblectabilis* 212;
– *pusio* 4, 12;
– *rimosa* 9, 213, 215;
– *similis* 59;
– *sindonia* 7, 213, 215;
– *soluta* 213;
– *splendens* 4, 12, 14, 213, 215;
– *tenebrosa* 4, 12, 14;
– *terrigena* 331;
– *tristis* 59;
– *velenovskyi* 59;
– – f. *incrassata* 59;
– *whitei* 213;
Inonotus 159;
Irpex lacteus 156–157;

Jafneadelphus olivaceofuscus 59;
Jugulospora rotula 273;

Kalmusia epimeleana 59;

Keisslerina moravica 59;
Kluyveromyces marxianus var. *lactis* 162;
– – var. *marxianus* 162;
Kuehneromyces 38;
– *mutabilis* 19, 21, 25;

Laccaria amethystina 7, 213;
– *laccata* 4, 5, 213, 215;
Lactarius 94, 253, 317, 319;
– *albocremeus* 59;
– *aquifluus* 253;
– *atlanticus* 10;
– *aurantiacus* 253;
– *aurantiofulvus* 254;
– *bresadolanus* 254;
– *camphoratus* 10;
– *chrysorrheus* 4, 5;
– *controversus* 10;
– *cookei* 59;
– *decipiens* 253;
– *fascinans* 318–322;
– *fulvissimus* 253;
– *helvus* 253;
– *hemicyaneus* 254;
– *hysginoides* 317–322;
– *insulsus* 6;
– *intermedius* 253;
– *mitissimus* 253;
– *musteus* 322;
– *pallidus* 322;
– *pilatii* 253;
– *piperatus* 7;
– *pyrogalus* 318;
– *quieticolor* 254;
– *romagnesii* 253;
– *ruginosus* 253;
– *salmonicolor* 213, 215;
– *subdulcis* 7, 253;
– *subsericatus* 253;
– *syringinus* 253;
– *tatrorum* 59;
– *trivialis* 253, 321;
– *utilis* 318, 321;
– *uvidus* 10;
– *vellereus* 6;
– *vietus* 253;
– *zonarioides* 254;
Laestadia steppani 57;

Lachnea gilva 269;
Lasiobotrys implexa 59;
Lentinellus pilatii 93;
Lentinus edodes 155;
Leotia 256;
– *lubrica* 7;
Lepiota 93, 95, 330;
– *castanea* 11;
– *clypeolaria* 5;
– *cristata* f. *pseudoexcoriata* 59;
– *pomacea* 23;
Lepista flaccida 6;
– *nuda* 10;
Leptoglossum muscorum 34;
Leptonia calcarea 59;
Leptosphaeria atropurpurea 59;
– *bulgarica* 59;
– *carneomaculans* 59;
– *galeopsidicola* 59;
– *huthiana* 59;
– *malyi* 59;
– *onagrae* 59;
– *petrakii* 60;
– *priuscheggiana* 60;
Leucoscypha submmersa 60;
Locellina californica 60;
Lycoperdon atropurpureum 7;
– *molle* 213;
– *perlatum* 5, 213, 215;
– *pyriforme* 8;
– *umbrinum* 11;
Lyophyllum deliberatum 5;
– *paelochroum* 8, 13;
– *transforme* 8;

Macrolepiota excoriata 213;
– *mastoidea* 10;
– *procera* 11, 213;
Macrosporium malvae-vulgaris 60;
Macrotyphula juncea 12;
Marasmiellus ramealis 4, 6;
Marasmius alliaceus 11;
– *androsaceus* 5;
– *anisocystidiatus* 60;
– *bulliardii* 11;
– *cohaerens* 11;
– *epiphyllus* 6;
– *favrei* var. *sorbi* 60;

– *heinemannianus* 60;
– *ingratus* f. *polytrichorum* 60;
– *quercophilus* 9;
– *rotula* 5;
– *skalae* 60;
– *teplicensis* 60;
– *torquescens* 8;
– *wynnei* 11;
Marcelleina benkertii 60;
– *brevicostatispora* 60;
– *donadinii* 60;
Marssonina moravica 60;
Megacollybia platyphylla 11;
Melanconium gelatosporum 60;
Melanops cruenta 60;
Melastiza carbonicola 60;
– *flavida* 60;
Meliola linocierae 60;
Metarhizium 180;
Metasphaeria caricis-muricatae 61;
– *clypeotecta* 61;
– *ebulina* 61;
– *silvularum* 61;
– *typhoidis* 61;
Microcera curta 61;
Microdiplodia cornicola 61;
– *ruthenica* 61;
Micromphale brassicolens 8;
– *foetidum* 7, 213;
Microsporum gypseum 168;
Microthyriella rubi 61;
Microthyrium moravicum 61;
Monascus ruber 156;
Monilia 158;
– *sitophila* 179;
– *urediniformis* 278;
– *uredoformis* 278;
Monilinia 278, 279;
– *fruticola* 285;
Mucor 163, 221, 222;
– *circinelloides* 127, 130, 131, 222;
– *hiemalis* 222;
– *plumbeus* 177;
– *pusillus* 222;
– *racemosus* 221, 222;
Mutinus caninus 8;
Mycena 93;
– *abramsii* 12;
– *acicula* 11;
– *alba* 9;
– *arcangeliana* 11;
– *cupressina* 61;
– *epipterygia* 5;
– *erubescens* 11;
– *filopes* 8;
– *flavescens* 11;
– *flavoalba* 11;
– *galericulata* 6, 213;
– *galopus* 4, 5, 213, 215;
– *haematopus* 11;
– *leptocephala* 7;
– *maculata* 6;
– *metata* 7;
– *pelianthina* 5, 213;
– *polyadelpha* 4, 11;
– *polygramma* 5;
– *pura* 4, 5, 213, 215;
– – f. *alba* 10;
– *renati* 213;
– *rorida* 12;
– *rosea* 6, 213;
– *sanguinolenta* 5;
– *sepia* 8;
– *stylobates* 7;
– *vitilis* 5, 213;
– *xantholeuca* 5;
Mycosphaerella apocynica 61;
– *baudysiana* 61;
– *hranicensis* 61;
– *omphalosporoides* 61;
– *sarothamni* 61;
Mycosphaerellopsis moravica 61;
Myrothecium 221, 224;
– *verrucaria* 220, 221, 222;

Naematoloma 247;
Naemospora castaneae 61;
Naucoria arvalis 32;
– *oligophylla* 23;
– *setipes* 61;
– *straminea* 23;
Nectria haematococca 222;
Neobulgaria 257;
Neohygrocybe 93;
Neozygites floridana 180;
Nigrospora sphaerica 222;

Nitschkia moravica 62;
Nodulisporium 179;
Nodulosporium 179;

Octospora gigantea 62;
– *kilimanjarensis* 62;
Oidium lycopersici 148–149;
Oligoporus subcaesius 11;
Omphalia fuscipes 23;
– *rosarum* 32;
Omphalina 93;
– *fusca* 23;
– *pythia* 23;
– *serotina* 62;
Omphalotus olearius 10;
Ophiobolus dracocephali-altaijensis 62;
– *ponticus* 62;
Orphanomyces hungaricus 62;
Otidea abietina 213;
– *alutacea* 12, 213;
– *cochleata* 10;
Ovularia cortusae 62;
– *vogeliana* 62;

Paecilomyces 158, 180;
– *variotii* 222;
Panellus stypticus 10;
Papulaspora 179;
Papulospora 179;
Patinella moravica 62;
Penicillium 126, 131, 162, 179, 221, 222;
– *aurantiogriseum* 221, 222;
– *brevicompactum* 222;
– *chrysogenum* 127, 128, 130–133, 158;
– *citreonigrum* 222;
– *citrinum* 156, 222;
– *corylophilum* 222;
– *duclauxii* 130;
– *expansum* 158, 221, 222;
– *funiculosum* 130;
– *glabrum* 158;
– *griseofulvum* 220, 222;
– *montanense* 222;
– *verniculatum* 220;
– *waksmanii* 222;
Peyritschiella 316;
Peziza 259, 260, 296;
– *anthracina* 263;
– *apiculata* var. *flavobrunnea* 62;
– *crassipes* var. *kilimanjarensis* 62;
– *dematiicola* 289;
– *endocarpoides* 263;
– *gilva* 268;
– *leiocarpa* 263;
– *pseudosterigmatizans* 62;
– *radula* 260, 261;
– *scabrosa* 262;
– *trachycarpa* 264;
– – var. *muricata* 263;
– *vagneri* 62;
Pezizella culmigena 62;
Pezoloma 257;
Phaeomarasmius erinaceus 12;
Phaeopezia 260;
– *radula* 261;
– *scabrosa* 262;
Phaeosphaerella scirpicola 62;
Phaneroascus quercinus 62;
Phanerochaete chrysosporium 156;
– *mongoliae* 157;
Phellinus torulosus 6;
Phellodon confluens 12;
– *niger* 6;
Phillipsia ranomafanensis 62;
Pholiota 17, 18, 24, 25, 28, 29, 33, 36, 38, 159, 247–250;
– *adiposa* 24, 35;
– *albocrenulata* 24, 25;
– *alnicola* 29;
– *aurivella* 24;
– *blattaria* 23;
– *decurrens* 18–21, 22;
– *fallax* 20–23;
– *filia* 249;
– *flammans* 27, 28, 30, 33–34;
– *fusa* 249;
– *fusus* 243–250;
– *gummosa* 25, 27;
– *lubrica* 248, 249;
– *lucifera* 24, 330;
– *mammilata* 20, 22–24;
– *maximovici* 24–26;
– *mixta* 249;
– *mucosa* 20, 22, 25, 27;
– *muricata* 32;
– *mutabilis* 28;

– *nigrosetosa* 27, 28;
– *pinicola* 249;
– *pseudohypholoma* 20, 28, 29;
– *rigelliae* 20, 31;
– *rostrata* 20, 26, 31;
– *salicina* 32;
– *sqarrosa* 27, 28, 29, 33;
– *sulphurea* 20, 30, 33, 34;
– *tuberculosa* 330;
Pholiotina 36, 38;
– *aberrans* 299–306;
– *dentatomarginata* 305;
– *friesii* 36;
– *pygmeoaffinis* 36;
– *rimosa* 302, 303;
– *striipes* 36;
– *sulcatipes* 299–306;
Phoma djakovensis 62;
– *lupinella* 62;
– *oleracea* f. *arabidis* 62;
– *origani* 56;
– *physocaulis* 63;
– *roripae* 63;
– *sherardiae* 63;
– *subcurvata* 63;
Phomatospora insignis 63;
Phomopsis thuyae 63;
Phyllachora atro-maculans 63;
– *baphispora* 63;
Phyllosticta allii 63;
– *anthyllidis* 63;
– *balcanica* 63;
– *bubakiana* 63;
– *hranicensis* 63;
– *jahniana* 63;
– *ranunculicola* 63;
– *senecionis-nemorenis* 63;
Physalospora euganeoides 63;
Physoderma bohemicum 63;
Plasmopara isopyri 63;
Pleospora bulgarica 63;
– *hrubyana* 63;
– *kurdistanica* var. *stachydina* 63;
– *nabeleki* 63;
– *xerophylli* 64;
Pleurocolla tiliae 64;
Pleuroflammula 330;
Pleurophoma salicina 64;
Pleurostromella ligustrina 64;
Pleurotus ostreatus 155, 156;
– *tuber-regium* 156;
Plicaria 259, 260, 262, 263–264;
– *anthracina* 263;
– *carbonaria* 263, 264;
– *endocarpoides* 263–264;
– *leiocarpa* 263;
– *radula* 260, 261;
– *trachycarpa* 263, 264;
Plicariella 260;
– *radula* 260–262;
– *scabrosa* 262;
Pluteus cervinus 12, 213;
– *excentricus* 34;
– *plautus* 12;
– *romellii* 9;
Protomyces 316;
Psathyra laricina 23;
Psathyrella candolleana 213;
– *ocellata* 12;
– *piluliformis* 10;
– *spadiceogrisea* 12;
Pseudocercosporella herpotrichoides 142, 151;
Pseudoclitocybe expallens 9;
Pseudocraterellus undulatus 10;
Pseudoperonospora cubensis 144;
Pseudorhizina sphaerospora 93;
Psilocybe 247;
– *aeruginosa* 7;
– *fascicularis* 8;
– *inquillina* 9;
– *lateritia* 247;
– *sublateritia* 213;
Puccinia 181;
– *actaeae-elymi* 64;
– *adenostegiae* 64;
– *baudysii* 64;
– *bornmülleri* 64;
– *confinis* 64;
– *cryptandri* 64;
– *graminis* var. *macrospora* 64;
– *kusanoi* 64;
– *nitidula* 64;
– *panciciae* 64;
– *pumilae-coronatae* 64;
– *taraxaci-serotini* 64;

Pulparia verrucispora 64;
Pulvinula niveoalba 64;
Pyrenochaeta convolvuli 64;
Pyrenophora moravica 64;
– *tritici-repentis* 152–153;
Pyrenostigme siparunae 64;
Pythium 220, 224;

Quaternaria moravica 65;

Ramaria botrytis 10;
– *decurrens* 10;
– *flava* 10;
– *formosa* 8;
Ramularia achyrophori-uniflori 65;
– *bubakiana* 65;
– *bulgarica* 65;
– *lappulae* 65;
– *linariae* 65;
– *rhei* 65;
Ravenelia baumiana 65;
Rhabdospora astragalicola 65;
– *euphrasiae* 65;
– *hranicensis* 65;
– *melampyricola* 65;
– *pulsatillae* 65;
– *securinegae* 65;
Rhizoctonia solani 142, 224;
Rhizopus 163;
– *oryzae* 168;
– *stolonifer* 130, 222;
Rhodocollybia giselae 65;
Rhodocybe gemina 213;
– *parilis* 213;
Rhodophyllus viridulus 93;
Rhynchosphaeria zimmermannii 65;
Rickenella fibula 7;
Russula acrifolia 9;
– *albonigra* 5;
– *alutacea* 10;
– *amoenicolor* 10;
– *aurata* 10;
– *cavipes* 213, 215;
– *cyanoxantha* 5;
– *decipiens* 9;
– *delica* 5;
– *densifolia* 10;
– *emetica* var. *silvestris* 10;
– *foetens* 9;
– *fragilis* 6, 213;
– *heterophylla* 10;
– *laurocerasi* var. *fragrans* 12;
– *maculata* 4, 9, 14;
– *minutula* 10;
– *mustelina* 213;
– *nigricans* 12;
– *olivacea* 6;
– *persicina* 12;
– *risigallina* 4, 6;
– *romellii* 10;
– *rosea* 10;
– *undulata* 10;
– *vesca* 7;
– *vinosobrunnea* 9;

Saccobolus subcaesariatus 65;
Saccharomyces cerevisiae 177;
Sarcodon cyaneus 10;
Sarcoscypha coccinea 8;
Scabropezia 260, 262;
– *scabrosa* 262;
Scleroderma verrucosum 10;
Sclerotinia 278;
– *aestivalis* 278–285;
Scolecotrichum compressum 65;
Scopulariopsis 179;
Scutellinia fimicola 65;
– *insignispora* 65;
– *minutella* 66;
– *phymatodeus* 66;
– *totaranuiensis* 66;
Septomyxa tulasnei ssp. *vogeli* 66;
Septoria altajensis 66;
– *anthyllidis* 66;
– *baudysiana* 66;
– *bosniaca* 66;
– *carthami* 66;
– *diedeckeana* 66;
– *flava* 66;
– *gentianicola* 66;
– *ligustrina* 66;
– *moeszii* 66;
– *oenanthis* 66;
– *phleina* 66;
– *picbaueri* 66;
– *schlechteriana* 66;

– *strambergensis* 66;
– *thermopsidis* 66;
– *vaccinii-uliginosi* 66;
Sepultaria herinkii 95;
Simocybe 330;
Sorosporium vossianaum 82;
Sowerbyella crassisculpturata 66;
– *fagicola* 67;
– *polaripustulata* 67;
Sphacelia 179;
Sphaerella cinnamomicola 67;
– *rhoina* 67;
– *vogeli* 67;
Sphaeria 310;
– *carbonaria* 272;
– *rotula* 273;
– *sepulta* 273;
Sphaerotheca fuliginea 143, 144;
Sphaerozone 260;
Spilocaea pomi 145;
Spooneromyces helveticus 67;
Sporisorium chrysopogonis 67;
Sporothrix 179;
Stagonospora bubakii 67;
– *carcicola* 67;
– *chenopodii* 67;
Stachybotrys chartarum 222;
Strattonia carbonaria 272–273;
Strickeria dorycnii 67;
Stropharia 27;
– *coronilla* f. *subcoronilla* 67;
Suillus granulatus 213;

Talaromyces flavus 224;
Taphrina 316;
Telamonia caespitosa 31;
– *olivascens* 31;
Tetraploa divergens 67;
Thelephora cruenta 308, 309;
– *mougeotii* 308;
Torrubiella 180;
Tramentes versicolor 156;
Trematosphaeria piskorzii 67;
Tremella mesenterica 11;
Tricharina 269;
– *bisetosa* 67;
– *cretea* 269;
– *gilva* 268–269;
– *narkandensis* 67;
– *praecox* 269;
Trichoderma 165, 221, 224;
– *hamatum* 224;
– *harzianum* 220, 221, 222, 224, 225;
– *viride* 164, 170, 220, 225;
Tricholoma acerbum 7;
– *album* 10;
– *atrosquamosum* 7;
– *bresadolianum* 7;
– *fulvum* 12;
– *ionides* f. *grisea* 67;
– *portentosum* 213;
– *saponaceum* 4, 5;
– *scalpturatum* 7;
– *sejunctum* 7;
– *squarrulosum* 7;
– *stans* 11;
– *sulphureum* 7;
– *terreum* var. *album* 67;
– *ustale* 7;
– *ustaloides* 7;
Tricholomopsis 38;
– *rutilans* 37, 213;
Trichophaea tumidosa 67;
Trichophyton 179;
– *mentagrophytes* 172, 174;
Tubaria 330, 331;
– *furfuracea* 9;

Urceolella richonis 290;
Uromyces scleropoae 67;
Usnea 316;
Ustilago aegilopsidis 67;
– *heleochloae* 68;

Valsa venustula 68;
Venturia 323–326;
– *chlorospora* 324, 325;
– *ditricha* 323–326;
– *glacialis* 323–326;
– *inaequalis* 145;
– *subcutanea* 324–326;
Verrucospora 330;
– *vulgaris* 330;
Verticillium 158, 179, 220, 224;
– *dahliae* 219–221, 223, 224;

Wilcoxina 269;

Xerocomus armeniacus var. *luteolus* 68;
– *moravicus* 93;
Xeromphalina 237;
– *brunneola* 237–242;
– *campanella* 237, 241, 242;
– – var. *myriadea* 240–242;
– *cauticinalis* 237;
– *cornui* 237;
– *fellea* 237;
– *junipericola* 237;
– *minutissima* 237;
Xerula pudens 7;
– *radicata* 7, 213;
Xylaria hypoxyolon 6;
Xylogramma bulgaricum 68;

Zygospermella setosa 68;
Zythia quercicola 68;

IF
19
BSM
REVIEW